

According to Regulation (EU) No 2015/830

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name	: TOTAL BENELUX WHEEL CLEANER PRO	
Product code	: 09478350	

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. PC0 Other. Car maintenance.

### 1.3. Details of the supplier of the safety data sheet

Supplier :	Kemetyl Nederland BV Industrieweg 30 3762 EK Soest, The Netherlands
E-mail :	+31-35 7604900 msds@kemetyl.com www.kemetyl.com

### 1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only: NL - Telephone : +31-35-6099310

(During office hours only)

# SECTION 2 HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	:	Acute toxicity, category 4. Skin sensitization, category 1.
Human health hazards	:	Harmful if swallowed. May cause an allergic skin reaction.
Physical/chemical hazards	:	Not classified as dangerous according to statutory EC-Directives.
Environmental hazards	:	Not classified as dangerous according to statutory EC-Directives.
Other information	:	Do not breathe spray. Use only in well-ventilated areas.

### 2.2. Label elements

Label elements (1272/2008/EC): Hazard pictograms :



Signal word	: Warning	
H- and P-phrases	: H302 H317 P101 P102 P261 spray P270 P280 gloves P302+P352 P333+P313	Harmful if swallowed. May cause an allergic skin reaction. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Avoid breathing spray. Do not eat, drink or smoke when using this product. Wear protective gloves. IF ON SKIN: Wash with plenty of water/soap. If skin irritation or rash occurs: Get medical advice/attention.



According to Regulation (EU) No 2015/830

P362+P364Take off contaminated clothing and wash it before reuse.P501Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases: Hazard pictograms :

· · · · · · · · · · · · · · · · · · ·		
Signal word	: Warning	
H- and P-phrases	: H302 H317 P101 P102 P261 spray P270 P280 gloves P302+P352 P333+P313 P362+P364 P501	Harmful if swallowed. May cause an allergic skin reaction. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Avoid breathing spray. Do not eat, drink or smoke when using this product. Wear protective gloves. IF ON SKIN: Wash with plenty of water/soap. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Sodium mercaptoacetate .

: 3 per cent of the mixture consists of component(s) of unknown acute inhalation toxicity.

### Ingredient declaration according to Regulation EC 648/2004:

-		
Contains:		Concentration (%)
Anionic surfactants		< 5
Perfumes, Limonene, L	inalool, Geraniol, Butylphenyl methylpropional, 2-l	Bromo-2-nitropropane-1,3-diol, Octylisothiazolinone.
Other information	: According to Regulation (EC) No 1272/200 warning of danger.	8, the packaging of this product shall carry a tactile

### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

Product description : Mixture.

Information on hazardous subst Substance name		CAS nr.		EC number	Remark	REACH nr.
Sodium mercaptoacetate	5 - < 10	367-51-	1	206-696-4		01-2119968564-24
Substance name	Hazard Class		H-phra	ses	Pictograms	
Sodium mercaptoacetate	Acute Tox. 3; A Tox. 4; Met. Co Skin Sens. 1		H290; I H317	H301; H312;	GHS05; GHS06	H290 : C >= 46 %

Reference is made to chapter 16 for full text of each relevant H phrase.

Product name Date of issue



According to Regulation (EU) No 2015/830

### SECTION 4 FIRST-AID MEASURES

### 4.1. Description of first aid measures

First aid measures	
Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult a doctor if irritation occurs.
Europeante et	
Eye contact	: Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
Ingestion	Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor immediately if victim feels unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms	
Inhalation	: May cause irritation to respiratory airways and coughing.
Skin contact	: May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
Eye contact	: May cause stinging of eyes and redness.
Ingestion	: May cause a feeling of sickness, vomiting and diarrhoea. May cause a feeling of sickness, malaise, shortness of breath and lack of breathe.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

# SECTION 5 FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

Extinguishing media	
Suitable	: Carbondioxide (CO2). Foam. Dry chemical. Water fog.
Not suitable	: None known.

### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards	: None known.
Hazardous thermal	: Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition products	

### 5.3. Advice for firefighters

Special protective	:	Use adequate respiratory equipment in case of insufficient ventilation.
equipment for fire-fighters		

### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	: Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with
	spilled or released material.

### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.



According to Regulation (EU) No 2015/830

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

#### 6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling

: Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Do not breathe spray. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

### 7.3. Specific end use(s)

Use

: Use only as directed. Do not mix with other products.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Occupational exposure : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Derived no-effect level (DNEL) for workers:

	Route of exposure	DNEL, short-ter	m	DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Sodium mercaptoacetate	Inhalation Dermal				1,41 mg/m3 2,06 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-ter	m	DNEL, long-term	
	exposure				
	7	Local effect	Systemic effect	Local effect	Systemic effect
Sodium mercaptoacetate	Inhalation				0,348 mg/m3
	Dermal				1,03 mg/kg bw/day
	Oral				0,002 mg/kg bw/day

# Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Sodium mercaptoacetate	Water	0,038 mg/l	0,0038 mg/l	
	Intermittent water			0,380 mg/l
	STP			3,2 mg/l



According to Regulation (EU) No 2015/830

## 8.2. Exposure controls

Engineering measures

Hygienic measures

chemicals. : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

: Use only in well-ventilated areas. Comply with standard precautionary measures for working with



Body protection	: Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.
Respiratory protection	: Take care of sufficient ventilation.
Hand protection	: Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. 0,4 mm. Indication of permeation breakthrough time: 6 hours.
Eye protection	: Wear appropriate safety glasses when there is danger of possible eye contact.

#### **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

		• • • •	
••		Liquid.	
		Colourless.	
	-	Perfumed.	
Odour threshold	:	Not known.	
рН	:	7,5	
Solubility in water	:	Soluble.	
Partition coefficient (n-oc-	:	Not applicable.	Contains surfactants. The O/W system emulsifies. Not measured. Not
tanol/water)			relevant for mixtures.
Flash point	:	> 100 °C	Closed cup.
Flammability (solid, gas)	:	Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	:	> 225 °C	
Boiling point/boiling range	:	100 °C	
Melting point/melting range	:	0°C	
Explosive properties	:	None known.	Does not contain explosives.
Explosion limits (% in air)	:	Not known.	
Oxidising properties	:	Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	:	Not applicable.	
Viscosity (20°C)	:	1112 mPa.s	
Viscosity (40°C)	:	> 20 mm2/sec	
Vapour pressure (20°C)	:	2300 Pa	
Vapour density (20°C)	:	> 1	The solvent content of this product is less than 1%.
Relative density (20°C)	:	1,1 g/ml	
Evaporation rate	:	< 1	(n-butyl acetate = 1)
9.2 Other information			

9.2. Other information

Other information

: Not relevant.

#### STABILITY AND REACTIVITY **SECTION 10**



According to Regulation (EU) No 2015/830

# 10.1. Reactivity

Reactivity	: See sub-sections below.
10.2. Chemical stability	
Stability	: Stable under normal conditions.
10.3. Possibility of hazard	ous reactions
Reactivity	: No other hazardous reactions known.

### 10.4. Conditions to avoid

Conditions to avoid : See section 7.

### 10.5. Incompatible materials

Materials to avoid : No specific recommendations.

### 10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

# SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inha	lation	
	Acute toxicity	: Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 3 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. No specific effects and/or symptoms are known.
	Corrosion/irritation	: May cause irritation to respiratory airways and coughing. Not classified - based on available data, the classification criteria are not met.
	Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
	Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
	Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Skir	contact	
	Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
	Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
	Sensitisation	: May cause sensitisation by skin contact. May produce an allergic reaction.
	Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Eye	contact	
	Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
Inge	stion	
2	Acute toxicity	<ul> <li>May cause signs of intoxication and reduced consiousness after exposure to high concentrations.</li> <li>May cause a feeling of sickness, malaise, shortness of breath and lack of breathe. Calculated LD50: &gt; 5000 mg/kg.bw. Ingredients of unknown toxicity: &lt; 1 %. ATE: 500 mg/kg.bw.%</li> </ul>



According to Regulation (EU) No 2015/830

Aspiration	: Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration
	hazard. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: May cause a feeling of sickness, vomiting and diarrhoea.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

### Toxicological information:

Chemical name	Property		Method	Test animal
Sodium mercaptoacetate	LD50 (oral)	504 mg/kg bw		Mouse
	LD50 (dermal)	> 1000 mg/kg bw	OECD 402	Rat
	LD50 (oral) - estimate	100 mg/kg bw		
	LC50 (inhalation) -	> 2729 mg/m3	Read across	Rat
	estimate			
	Skin irritation	Irritant	OECD 404	Rabbit
	Eye irritation	Slightly irritant	OECD 405	Rabbit
	Mutagenicity	Negative	OECD 471	
	Skin sensitisation	Sensitizing	OECD 429	Mouse
	NOAEL (oral)	20 mg/kg bw/d	OECD 408	Rat
	NOAEL (dermal)	360 mg/kg bw/d		Mouse
	NOAEL (developmental	100 mg/kg bw/d	OECD 414	Rat
	toxicity, dermal)			
	NOEL (carcinogenicity,	Not carcinogenic		Mouse
	dermal)			
	NOAEL (fertility,	360 mg/kg bw/d		Mouse
	dermal)			

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecotoxicity

No ecotoxicological research has been carried out on this product.

: Calculated LC50 (fish): 402 mg/l. Calculated EC50 (waterflea): 277 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

### 12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

#### 12.4. Mobility in soil

Mobility :

: If product enters soil, it will be highly mobile and may contaminate groundwater.

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

### 12.6. Other adverse effects

Product name	: Total Benelux Wheel Cleaner Pro			Page 7/10
Date of issue	: 2018-09-13	Replaces issue dated	:	INFO CARE SDS



According to Regulation (EU) No 2015/830

Other information : Not applicable.

### SECTION 13 DISPOSAL CONSIDERATIONS

# 13.1. Waste treatment methods

Product residues	: Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
Additional warning	: None.
Waste water discharge	: Do not dispose into the environment, in drains or in water courses.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

## SECTION 14 TRANSPORT INFORMATION

#### 14.1. UN number

UN nr. : None.

### 14.2. UN proper shipping name

Transport name : Not regulated.

### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)			
Class	:	: This product is not classified according to ADR/RID/AD	N.
IMDG (sea) Class		: This product is not classified according to IMDG.	
	-	: No	
IATA (air)			
Class	:	: This product is not classified according to IATA.	

#### 14.6. Special precautions for user

Other information : Country specific variations may apply.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

## SECTION 15 REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

### 15.2. Chemical safety assessment



According to Regulation (EU) No 2015/830

: Not applicable.

Chemical safety assessment

#### **SECTION 16 OTHER INFORMATION**

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet: : European Agreement concerning the International Carriage of Dangerous Goods by Road ADR ATE Acute Toxicity Estimate Classification, Labeling & Packaging CLP : CMR Carcinogenic, Mutagenic or toxic for Reproduction : EEC : European Economic Community GHS Globally Harmonized System of Classification and Labelling of Chemicals : IATA International Air Transport Association : IBC code : International Bulk Chemical Code : International Maritime Dangerous Goods Code IMDG : Lethal Dose/Concentration for 50% of a population LD50/LC50 MAC Maximum Allowable Concentration : MARPOL : International Convention for the Prevention of Pollution From Ships : No Observed (Adverse) Effect Level NO(A)EL : Organisation for Economic Co-operation and Development OECD PBT : Persistent, Bioaccumulative and Toxic PC : Chemical product category PT : Product type REACH Registration, Evaluation, Authorisation and Restriction of Chemicals : RID Regulations concerning the International Carriage of Dangerous Goods by Rail : STP Sewage Treatment Plant : SU Sector of Use ÷ TWA/STEL Time-Weighted Average/Short Term Exposure Limit UN United Nations ÷ VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative · Procedure used to derive the classification according to Regulation (EC) No. 1272/2008: : Calculation method. Acute Tox. 4 Skin Sens. 1/1A/1B : Calculation method. Full text of hazard classes mentioned in section 3: Acute Tox. 3 : Acute toxicity, category 3. Acute Tox. 4 : Acute toxicity, category 4. Skin Sens. 1/1A/1B : Skin sensitization, category 1/1A/1B. Met. Corr. 1 Corrosive to metals, category 1. :

Full text of H-phrases mentioned in section 3:

H290 May	be corrosive to metals.
----------	-------------------------

H301 Toxic if swallowed.



According to Regulation (EU) No 2015/830

H317 Number format

May cause an allergic skin reaction. : "," used as decimal separator.

# End of safety data sheet.

Print date

: 2020-04-29